City Council Members

Chuck Bradley Millie Butcher Conway Polly Singer Eardley David Lusby



City Council Members

Mark Showalter Connie Tackett Karen Tingle-Sames Marvin Thompson

TOM PRATHER, MAYOR

INVITATION TO BID Automated Side-Loading Sanitation Truck BID OPENING: Thursday, July 27, 2017 at 10:00 AM

SCOPE

The City of Georgetown is seeking bids for an automated side-loading sanitation truck.

GENERAL COMPLIANCE

NOTE TO BIDDERS: Bid submission does not constitute an agreement or a contract with the City of Georgetown.

NO RESPONSE: Bidders unable or unwilling to submit a bid should immediately return the "Bidder Response Form" only with "No Response" marked clearly on the outside of the envelope. Any vendor not submitting a bid is encouraged to indicate the reason(s) for not participating.

ALTERNATE BIDS: It is not the intention of the specifications contained herewith to eliminate any bidder; however, quoted items must equal or exceed stated specifications.

INDICATION OF COMPLIANCE: The bidder shall indicate compliance with either a "Yes" or a "No" for each item specification. Blank spaces shall be considered non-compliance. Any deviation from the specification or where submitted literature does not fully support meeting the specification(s) must be clearly cited on the attached page labeled "EXCEPTIONS TO SPECIFICATIONS AND/OR COMMENTS." No deviation below "minimum" specifications will be accepted.

Additional Information: While not necessary, the proposer may include any product brochures, software documentation, sample reports, or other documentation that may assist the City of Georgetown in better understanding and evaluating the proposer's response. Additional documentation shall not serve as a substitute for other documentation which is required by the Invitation to Bid (ITB) to be submitted with the proposal.



Thursday, July 27, 2017 at 10:00 AM

At the time of submission, each bidder will be presumed to have inspected the site(s), if necessary, and to have read the scope and to be thoroughly familiar with the project plans and contract documents (including any and all addenda). The failure or omission of any bidder to examine any form, instrument, or document shall in no way relieve any bidder from any obligation with respect to this bid.

All bids and any additional submitted information becomes the property of the City of Georgetown and will not be returned to the bidder.

BID SUBMISSION: All pages of the original signed hardcopy shall be initialed in ink on the lower right-hand corner. Typed quotation sheets are preferred; however, if hand written, the sheets must be legible and in ink. Any pricing information that is illegible may result in the rejection of the bid.

The bidder must submit one original signed hardcopy, and three (3) duplicates. These must be sealed in a container with the project name, the bidder's name and the opening date clearly marked on the outside of the envelope. The cover of the original bid should be marked "Original" and the cover of the duplicates should be marked "Copy." The bid shall be addressed and delivered to City Clerk, 100 North Court Street, Georgetown, KY 40324 prior to bid opening.

ANY BIDS NOT RECEIVED PRIOR TO THE SCHEDULED OPENING DATE AND TIME WILL BE REJECTED AND RETURNED UNOPENED.

FAILIRE TO SUBMIT REQUIRED DOCUMENTATION: Failure to submit ALL forms and information required in this ITB may be grounds for disgualification.

LIABILITY: City of Georgetown is not liable for any expenses incurred in connection with the preparation of bids.

METHOD OF PROCUREMENT: Shall be in conformance with Purchasing Policies as adopted by the City Council for the City of Georgetown, Kentucky. A copy of the City's Purchasing Policy is available on the City's website at www.georgetownky.gov (Finance Department).

KENTUCKY OPEN RECORDS LAW: At the time a bid is submitted to the City, bidder shall identify any information that is submitted as part of the bid that is proprietary or confidential in nature and not subject to release for public inspection. The City of Georgetown will protect any proprietary or confidential information to the extent allowable under the Kentucky Open Records Act.

NEW GOODS, FRESH STOCK: Unless otherwise specifically stated, all Contractors shall provide new commodities, fresh stock, latest model, design or package.

COMPLIANCE WITH LAWS AND REGULATIONS: Each bidder shall comply with all Federal, State & Local regulations concerning this type of service.

METHOD OF AWARD: The award will be based upon the lowest responsive and responsible bidder complying with specifications on each item. The City of

INVITATION TO BID Automated Side-Loading Sanitation Truck BID OPENING: Thursday, July 27, 2017 at 10:00 AM

Georgetown reserves the right to consider as a part of the bid evaluation the stated warranty, stated delivery schedule, service, features, upgrades and payment terms.

The City of Georgetown reserves the right to reject any and all bids, to award any bid in whole or in part, and/or to waive any irregularities or minor immaterial defects in any and all bids. The right is also reserved to award bids based on the best interest and/or most advantageous to the City. The City of Georgetown may also consider any alternative bid that meets its basic needs.

PRICING: All prices shall be quoted exclusive of any taxes. The City of Georgetown is exempt from Federal excise, transportation and/or Kentucky sales tax. Any items supplied <u>directly</u> to the City from a supplier/manufacturer are exempt from sales tax. Any items purchased by a contractor that will be used in the fulfillment of a contract are not exempt from sales tax.

In case of a discrepancy in the extension of a unit price, the unit price shall govern the total price.

Bidders must provide manufacturer's product literature if available and appropriate with the bid submission.

Bids shall remain firm and open to acceptance by the City of Georgetown for a minimum period of sixty (60) days after the proposal opening. If the time period has expired the City of Georgetown could request a letter from bidders asking to extend the time period.

STANDARD AGREEMENT: The selected Proposer will be required to sign a Standard Agreement for Goods and Services with the City within 14 days of the Notice of Award. The agreement will contain terms and conditions that include duration of the agreement, sworn statement regarding campaign finance laws, a provision indicating that the proposer and its employees or agents are not employees of the City, a termination clause, an additional termination clause of those agreements covering multiple fiscal years in the event that sufficient funds are not appropriated as part of the budget process, provision that Kentucky law applies to interpretation of the agreement and any disputes and that venue shall be Scott County, KY, and a provision that the services cannot be assigned without the prior approval of the City.

A Notice to Proceed will be issued once the agreement has been signed by both parties and all required paperwork herein described is received by the City.

DELIVERY SCHEDULE: Delivery date shall be specified on each item quoted. The vendor will be expected to fulfill the delivery as specified.

PAYMENT: The bid must clearly state the payment terms, including prompt payment discounts and payment due dates. Discounts should be figured into the unit price of the quoted item. The City of Georgetown reserves the right to select the most beneficial terms.

Thursday, July 27, 2017 at 10:00 AM

BONDING: A certified check or Bid Bond in the amount of five percent (5%) of the bid price must be included on the bid response. If a certified check is supplied it must be made payable to the City of Georgetown, and will be returned <u>upon receipt of the Performance Bond and entering into a contract</u> in accordance with specifications. In the event of failure to enter into a contract within the time period set forth in this bid, it is agreed the certified check may be cashed and the funds retained by the City of Georgetown as liquidated damages. Checks of unsuccessful bidders will be returned when the bid has been awarded.

The successful vendor shall provide a Performance Bond, with sufficient surety satisfactory to the City, in an amount equal to the contract price.

DEFAULT; TERMINATION OF CONTRACT: In the event that any of the provisions of this Contract are violated by the bidder such breach shall constitute a default. In the event of a default, the Owner may serve written notice upon the bidder of its intention to terminate the Contract, such notice to contain the reasons for such intention to terminate the Contract, and unless within ten (10) days after the serving of such notice upon the bidder, such violation or delay shall cease and satisfactory arrangement of correction be made, the Contract shall, upon the expiration of said ten (10) days, cease and terminate.

The City shall be authorized to terminate for its own convenience all contracts for the procurement of supplies and services when the Department Head determines in writing that such termination will be in the best interest of the City.

SAFETY: The successful bidder must perform work in a safe and timely fashion, maintain a clean and safe work environment, follow safety requirements established by OSHA and the City of Georgetown, and may be required to provide safety equipment. If, in the opinion of the City, safety precautions are not in existence, work will cease immediately until corrective action is taken. Work will begin again only when vendor demonstrates to the satisfaction of the City that conditions are without risk.

INSURANCE REQUIREMENTS: The successful bidder covenants and agrees to maintain and keep in force during the term of the contract insurance policies in the following minimum amounts:

<u>Type of Insurance</u> <u>Limits</u>
Worker's Compensation Statutory

Commercial General Liability \$1,000,000/\$1,000,000 CSL

Commercial Automobile Liability \$1,000,000

On all liability policies of insurance bidder shall have the City named as an additional insured and shall further require that their liability carrier(s) notify the City at least thirty (30) days prior to the effective date of any change(s) in or cancellations of said insurance policies. A current copy of bidder's insurance certificate providing proof of insurance as stated above must be on file in the Purchasing Department prior to bid award. Submission of an Evidence of Insurability from your provider or an Insurance Certificate copy may be included with the bid package.

Thursday, July 27, 2017 at 10:00 AM

HOLD HARMLESS AGREEMENT: The bidder covenants to save, defend, keep harmless, and indemnify the City of Georgetown and all of its officers, departments, agencies, agents, and employees from and against all claims, loss, damage, injury, fine, penalties, and costs including court costs and attorney's fees, charges, liability, and exposure however caused resulting from, arising out of, or in any way connected with the bidder's negligent performance or non-performance of the terms of the contract.

CONTRACTOR STATUS: Bidder understands and agrees that its employees, agents, and/or sub-bidders are not employees of City of Georgetown for any purpose whatsoever.

BIDDER'S QUALIFICATIONS: Vendor must demonstrate to the satisfaction of the City of Georgetown that he/she has adequate equipment, personnel, experience and understanding of the specifications to perform service under the contract.

No contract will be awarded to any bidder who, in the opinion of the City, is not qualified to perform satisfactorily due to a previously unfavorable performance, reputation or lack of experience, capital, organization, equipment, and/or personnel to conduct and complete the services in accordance with the terms and conditions of the contract.

Successful bidder must comply with the City of Georgetown ordinances relating to Occupational License Fees, Business Licenses, payroll and net profits and any other ordinances which may apply to any particular bid package.

BIDDER PREFERENCE: Pursuant to KRS 45A.494, which is incorporated herein by reference: "a resident bidder of the Commonwealth shall be given a preference against a nonresident bidder registered in any state that gives or requires a preference to bidders from that state. The preference shall be equal to the preference given or required by the state of the nonresident bidder. "

EQUAL OPPORTUNITY STATUTES: The City of Georgetown is an equal opportunity employer and does not discriminate on the basis of race, color, religion, sex, national origin, age, marital status, physical or mental disability, or any other characteristic protected by law. The City is also committed to employing only United States citizens and aliens who are authorized to work in the United States. The City complies with the Immigration Reform and Control Act of 1986. Therefore, the successful bidder must demonstrate to the satisfaction of the City that he also conforms to all Federal, State, and Local Equal Opportunity statutes. Further, the contractor will reimburse the City of Georgetown for any damages incurred due to any violation of the above mentioned statutes by the contractor while under contract to the City.

"OR EQUAL" CLAUSE: Whenever a material, article or piece of equipment is identified on the plans or in the specifications by reference to manufacturer's or vendors' names, trade names, catalog numbers, etc., it is intended merely to establish a standard; and, any materials, article or equipment of other manufacturers

INVITATION TO BID Automated Side-Loading Sanitation Truck BID OPENING: Thursday, July 27, 2017 at 10:00 AM

and vendors which will perform adequately the duties imposed by the general design will be considered equally acceptable provided the material, article or equipment so proposed, is, in the opinion of the Owner of equal substance and function.

AMBIGUITY, CONFLICT OR OTHER ERRORS IN ITB: If a bidder discovers any ambiguity, conflict, discrepancy, omission or other such error in the ITB, he/she shall immediately notify the City of Georgetown of such error in writing and request modification or clarification of the document if allowable by the City of Georgetown.

ADDENDA AND INTERPRETATIONS: No interpretation of the meaning of the plans, specifications or other pre-bid documents will be made to any bidder orally.

Every request for such interpretation should be in writing addressed to the City Clerk, 100 North Court Street, Georgetown, KY 40324, or by Fax to 502-863-9962, or by email to tracie.hoffman@georgetownky.gov no later than 4:00 PM on Friday, July 21, 2017. Any and all such interpretations and any supplemental instructions will be in the form of written addendum to the specifications which, if issued, will be emailed to prospective bidders and posted to the City's website: www.georgetownky.gov. Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his/her bid as submitted. All addendums so issued shall become part of the contract documents.

Thursday, July 27, 2017 at 10:00 AM

SPECIFICATIONS

- 1. **New Side-Loading Refuse Truck**. Detailed specifications are listed below. All bidders are expected to meet or exceed all specifications. Any bid which does not meet or exceed the stated specification is required to identify the specification which is not met. An exception of a minor nature may be accepted; however, if the exception is significant the bid may not be accepted.
- 2. **New Automated, Side-Loading Refuse Collection Body**, equipped with a mechanical lifting device capable of handling up to 450-pound plastic refuse containers. The body shall be capable of compacting and transporting refuse to a landfill or transfer station and dumping the load.

REQUIREMENTS

Chassis:

Cab over or step out

Capacity:

The packer body shall have a capacity of not less than 30 cubic-yards.

Body construction:

- The body shall be all welded construction.
- Body wall thickness shall be 10 gauge AR 450.
- Body roof thickness shall be 10 gauge, 80,000 psi.
- Body floor shall be 8 gauge AR 450.
- The hopper shall have a minimum static capacity of 5 cubic yards
- The hopper floor shall be a minimum of 1/4" AR 400 abrasion resistant steel.
- The hopper sides shall be a minimum of 1/4" AR 400 abrasion resistant steel.
- A hydraulic crusher panel may be furnished to prevent refuse loss during transport.
- A ladder or foot supports with grab handles shall be designed to meet OSHA standards and provide easy access to the hopper area.
- Two sealed daily access cleanout doors, one on each side of the hopper area and equipped with handles or knobs, shall facilitate clean out of the bed area behind the packer plate. Access doors shall be hinged on top or side and easily opened without the aid of additional tools. A clean out tool shall be supplied.

Packing Panel:

- The packing panel shall be fabricated from minimum 3/8" steel plate.
- The packing panel shall be operated by electric controls located in the cab, convenient to the operator.
- Shall complete a pack cycle in a maximum of 20 seconds at idle speed.
- Packing cylinder sleeves shall be chrome plated single stage cylinders.

Ejection or Tipping to Dump:

All unloading controls shall be operated from inside the cab.

Thursday, July 27, 2017 at 10:00 AM

- The tailgate shall be automatically released and locked with no moving parts other than the two (2) primary lift cylinders.
- A warning light and buzzer, located on the control panel next to the tailgate control, shall indicate when tailgate is in unlatched position.
- The tailgate shall be released, opened, closed and locked with two (2) doubleacting, hydraulic cylinders from controls located in the cab.
- The tailgate shall be equipped with a one-piece, replaceable neoprene gasket extending across the entire bottom width of the tailgate and vertically up the sides at least 30-inches.
- The body shall have a bolt-on rear under ride protection.

Lifting Mechanism:

- The standard lifting mechanism shall be capable of lifting and dumping plastic containers with capacities up to 450 pounds or greater.
- The container gripper shall incorporate an adjustable hydraulic circuit limiting the radial force applied to the container. Grippers not capable of pressure sensitive adjustments are unacceptable due to the likelihood of container damage.
- The lifting mechanism shall be capable of extending, clamping, raising, dumping and returning containers from any position without the need to "retract" within an eight (8) foot reach.
- The lifting mechanism shall be capable of operating simultaneously with any phase of pack operation with full force and full flow.
- The lifting mechanism shall be capable of grasping a container located 6" from the 96" wide envelope of the truck. (Containers placed directly next to the truck can be collected).
- The lifting mechanism shall be within the 96" road limit in the down position.
- All dumping controls shall be operated from inside the cab.
- External curbside controls shall be provided to operate the dumping system from outside the cab.
- The lifting mechanism shall be capable of gripping and dumping a container which is positioned a minimum of 48" above the truck's ground level. This is to ensure that containers sitting on hills or berms may be easily collected.
- The container shall not be tilted over 45 degrees past vertical in route to the hopper. Lift arms which tilt the container over 45 degrees are not acceptable due to their tendency to spill. The lift mechanism shall be capable of lifting a container, so that a garbage bag sitting on top will be dumped into the hopper without spilling onto the ground. The garbage bag must stay on the container at all points in the lift cycle.
- The lift mechanism shall be adequately supported from the bottom at the gripper area whenever the lift arm is in the stowed (carry) position.
- The lifting mechanism shall incorporate a limiter system that prohibits the possibility of dumping the contents of the container outside the confinement of the hopper.
- The container shall be tilted to a minimum of 45-degrees past horizontal to ensure complete dumping and transfer of the container's contents into the hopper. Lift arms not capable of tilting 45-degrees in the dump position are not acceptable due to incomplete dumping tendencies.

Thursday, July 27, 2017 at 10:00 AM

Control Panel:

- All compactor operating controls shall be located in the truck cab and mounted for operator convenience and comfort.
- Shall have ergonomic in-cab control panel and joystick.
- Shall have warning lights to indicate abnormal functions of the engine and the compactor.
- The tailgate open light shall illuminate, whether the main system is off or on, to indicate a "not fully closed" tailgate position.
- The arm extended warning light shall illuminate when the lift mechanism is extended or raised from the home position.
- The control panel shall have visual and/or audible diagnostic capabilities.
- The pack control shall have at least three (3) auto-cycle programmable settings:
 - A. The pack auto cycle will not actuate and the movement of the packer is by manual control rocker switch.
 - B. The pack auto cycle will initiate after each container is dumped.
 - C. The auto cycle will initiate after each second container is dumped.
- All accessory switches shall be incorporated in the control panel using rocker switches.
- The control system shall have a hydraulic fluid filter bypass management shut down system to notify the operator and to protect the unit from contaminated fluid.
- The control system shall have a hydraulic low oil management shut down system to notify the operator and to protect the unit from oil leaks and pump cavitations.
- The unit shall operate properly when the unit has the minimum amount of hydraulic fluid.
- The control system shall have a hydraulic oil temperature gauge to allow driver monitoring of operating temperatures.
- The unit shall operate properly when the hydraulic fluid temperature lowers to below the maximum temperature setting.

Hydraulics:

- Shall have a pump configuration designed to provide a fast pack cycle time at low engine RPMs that does not limit the torque demand from the engine, so it won't stall under high-pressure situations.
- The pump shall be protected with flow limiting dump valve(s).
- The flow limiting dump valves shall be designed such that, when energized and turned on, all excess flow shall be diverted back to the suction on inlet side of the pump.
- The arm pump shall provide adequate flow to allow for full lift arm speed at engine idle.
- The arm pump shall have a flow-limiting dump valve to protect the arm from operating too fast.
- The packer pump shall have flow-limiting dump valves to protect the circuit from potential overflow.

INVITATION TO BID Automated Side-Loading Sanitation Truck

BID OPENING: Thursday, July 27, 2017 at 10:00 AM

- The pump section shall be designed to provide full flow and pressure to pack circuit when the pack panel is extending or retracting, and shall limit the torque demand from the engine to keep the engine from stalling.
- The unit shall have a low RPM operation in gear or operation in neutral at engine idle (no greater than 800 RPM).
- The low RPM pump configuration shall provide a fast pack cycle time at low engine RPMs to limit the torque demand from the engine, so it won't stall under high pressure situations.
- The packer panel and the lift arm shall both be operational during collection mode, offering simultaneous load and pack.
- The packer shall have a complete cycle time of not more than 17 seconds at 800 RPM and/or 14 seconds at 1200 RPM.
- The arm shall have a cycle time of not more than 8 seconds at 800 RPM.
- The engine shall be limited to 1200 max RPM when the arm is in the collection mode only. The engine RPM will not be restricted when the arm is in the stowed mode.
- The pumps shall be protected with flow limiting dump valves to protect the circuit from potential overflow. The pump shall not be protected with a dry valve. Dry valves do not limit the flow to the unit and do not allow the packer to operate between stops at high engine RPMs.
- The flow-limiting dump valve shall be able to be turned off in the unloaded condition and shall not be able to provide working pressure and flow.
- The flow-limiting dump valve shall be energized when the pack system demands for hydraulic flow and pressure. When the packer is not packing or retracting, the flow-limiting dump valves shall be unloading, thereby saving fuel.

Lights:

- Standard LED lights shall be supplied in accordance with FMVSS #108 and have LED strobes front and rear.
- There shall be at least one (1) work light to illuminate the hopper and one (1) work light to illuminate the operating/service area of the arm/gripper (where the carts will be); both work lights shall have individual on/off switches in the cab.

Paint:

• The complete unit shall be painted with two (2) coats of primer and two (2) coats 2-part white polyurethane paint. (PPG 13174).

Gripper:

 The gripper shall be capable of grasping and dumping containers with capacities of 30-110 gallons, including fully-automated, universal and semi-automated containers.

Camera System:

- Shall be equipped with color triple-camera system (single color monitor) to view the rear of the truck, the hopper and oncoming traffic on left side of vehicle while operator is in right seat.
- LCD monitor shall be mounted to the cab-roof vice center console as practicable.

Thursday, July 27, 2017 at 10:00 AM

RH Only/Dual Hand Drive/Steering:

- RH drive only is requested. However, Dual Hand Drive can be included in bid.
- If Dual Hand drive is part of bid, it must meet the following areas:
 - Both side configurations shall have gearboxes and rigid steering connection shafts.
 - Driver's instruments panel and controls shall be the same on both sides.
 - Packer body shall operate from right side only.

Cab:

- All glass shall be tinted. Electric door windows shall be on the right and left sides.
- Low-entry cab forward capable of tilting to an angle of 59 degree or more order to give good engine service accessibility.
- Driver's seat shall be a Bostrom #910 Talladega suspension seat or equivalent. Seat shall be air ride, mid-back cloth with lumbar support.
- Passenger seat shall be stationary.
- Windshield protector.
- Engine protection alarm system, low water, high temperature and low oil pressure warning lights and buzzer shall be incorporated with electronics package.
- The cab shall have a heating and cooling system adequate to maintain an interior cab temperature of 70 degrees (F) when outside temperatures are between 10 degrees (F) and 100 degrees (F).

Axles:

- Front axle shall have a rated capacity of 20,000 lb. GVW.
- Rear axles shall have double reduction differential, and have a rated capacity of 46,000 lbs. with automatic power divider, 5.31 gear ratio.
- Rear springs shall be anti-sway, 46,000 lb. capacity.

Steering:

Steering shall be integral hydraulic type power steering.

Engine/Transmission:

- 325 -350 HP Diesel Engine.
- The engine shall have spin-on fuel, oil and water filters, and block heater.
- Shall have DAVCO fuel filter/water separator.
- Allison 4500 RDS 6 speed automatic transmission w/external oil cooler and oil level sensor.
- Jacobs Engine Brake.

Air Dryer:

Dual-dryer with cooling tank and Meritor Wabco system saver twin dryers.

Alternator:

Heavy duty 160 amps.

Starter:

• 12 Volt Gear reduction starter.

Thursday, July 27, 2017 at 10:00 AM

Exhaust System (For systems with SCR):

 Vertical type. Diesel Exhaust Fluid (DEF) tank shall be located on LH-side of frame next to fuel tank.

Fuel Tank:

 Fuel tank shall be at least 70-gallon capacity left side with mounting to provide maximum body clearance.

Wheels and Tires:

- Front and rear wheels shall be steel disc 10 stud hub piloted.
- Front tires shall be 315/80R 22.5.
- Rear tires shall be 11R 22.5 traction type rear tires.

Brakes:

 ABS Brakes shall be cam type air brakes with self-adjust Meritor slacks, spring loaded emergency brake on both rear axles.

P.T.O.:

• PTO adapter shall be live power (full time) front crankshaft mounted.

Bumper:

Bumper to be an extended type steel bumper to accommodate crankshaft PTO.

Miscellaneous:

- Fresh air heater and defroster.
- Tool-holder brackets or receptacle for at least three (3) implements. (Shovel, hoe, etc.) and under body toolbox.
- West coast type heated mirrors (6'x16') shall be mounted on the leading edge and on each side of cab; remote controlled (motto-mirror) on left side. Mirrors shall be a solid one-piece design. Spot mirrors mounted on both mirror assemblies. Retractable arms and brackets
- Shall have fire extinguisher and first aid kit.
- A permanent data plate shall be affixed in the driver's compartment specifying quantity and type of the following fluids used in the vehicle:
 - 1. Engine Oil
 - 2. Engine Coolant
 - 3. Chassis Transmission Fluid
 - 4. Drive Axle Lubrication Fluid
 - 5. Air Conditioning refrigerant

Wheelbase:

 Wheelbase shall be relative to a usable cab-to-axle, as applicable for proper body mounting and weight distribution.

Thursday, July 27, 2017 at 10:00 AM

DOT Safety Standards:

• Shall comply with All DOT and Federal Motor Carrier Safety Regulations.

1. Manufacturer's Specifications and Warranty:

- Bidder shall state length and terms of any warranty as it applies to the particular chassis model offered in bid proposal.
- Copy of the warranty certificate shall be attached to the proposal and becomes a part thereof.
- All bidders shall provide, with the bid proposal, a copy of the literature on current model being bid including manufacturers specifications regarding construction, materials used, and capacities of hoist and body offered in the bid proposal, including but not limited to extended warranty opportunities.
- A copy of the manufacturer and/or dealer's warranty shall also be provided, showing the items covered and the duration of the warranty period with a minimum of one year.
- A copy of the repair manual and parts manual shall accompany the vehicle upon arrival.
- This warranty shall become effective on the date the unit is actually delivered to the City of Georgetown.
- Any additional extended warranties available should be listed.

2. Sales and Service Support:

Bidder shall state location and distance to the nearest service facility and include a dollar estimate of the parts inventory carried for the refuse body and the chassis model offered in bid proposal. Provide closest sales and service center to our location at 235 West Yusen Way, Georgetown, KY 40324.

3. Technical Service Support:

Must provide three (3) Technical Training Sessions on Thursdays for drivers each being 3-4 hours. Mechanics must receive at least one week of training off site.

4. Delivery Requirement:

Delivery of the vehicle is requested within thirty (30) days after the date the bid is awarded. Any exceptions shall be listed in the "EXCEPTIONS TO SPECIFICATIONS AND/OR COMMENTS" section below.

INVITATION TO BID Automated Side-Loading Sanitation Truck

BID OPENING: Thursday, July 27, 2017 at 10:00 AM

BIDDER RESPONSE FORM

BID AMOUNT:	\$	
NAME OF FIRM:		
ADDRESS:		
NAME (Type or Print):		
TELEPHONE:		
EMAIL:		
D 1		
	ed solution and services meet all requirements of specified requirements unless exceptions are r	
Bidder Acknowledges receip	t of Addendum as noted: (mark N/A it	none)
# Dated		
# Dated		
# Dated		
Sub-Contractor / Supplier		Contract Amount
		\$
		\$
_		\$
		\$
Check here and a	ttach additional sheet for additional S	ub-Contractors / Suppliers.

Thursday, July 27, 2017 at 10:00 AM

EXCEPTIONS TO SPECIFICATIONS AND/OR COMMENTS

Thursday, July 27, 2017 at 10:00 AM

<u>AFFIDAVIT</u>

Cor	mes the Affiant	t,			, and after being first o	ylut
sworn und	ler penalty of p	erjury as f	ollows:		_	
1.	His/her name	is			and he/she is	the
	individual	or	the	authorized	representative	of
					_ (hereinafter referred to	
					oonse Form, equal opportu	
	-			: Pursuant to KRS	45A.343 attached hereto	and
	incorporated I					
2.	•	•	•		the City of Georgetown at	
					ct and will maintain a "curre	ent"
_				fees during the life		
3.			of Georgeto	wn business licens	se, if applicable, prior to aw	ard
	of the contrac					
4.					verify the above-mention	
					lose that taxes and/or fees	are
_				has not been obt		۔ حاط
5.			•	, .	e campaign finance laws of	
					ars and the award of a cont campaign finance laws of	
	Commonweal		noiate arry	provision of the t	Lampaign infance laws of	uie
6.			aly violated	d any provision (of Chapter 2 of the City	, of
0.				own as "Ethics Act		Oi
7.					of this Affidavit means, v	with
, .					statute or ordinance defir	
					en aware that his conduct i	
	that nature or				ar arrare that me contact.	0.
Further, A	ffiant sayeth n	aught.				
,	, , , , , ,					
Affiant						
STATE OF						
COUNTY O)F					
The	e foregoing in	strument w	as subscrib	ned sworn to and	l acknowledged before me	hv
1110	c foregoing in	scrament w	vas sabscrib	•	_	-
					_ on this the	day
of		, 2017.				
		<i></i> ,				
My Commi	ission expires:					
. 17 COITHIN	ission expires.					
					<u>_</u>	
NOTARY P	UBLIC, STATE	AT LARGE				

Thursday, July 27, 2017 at 10:00 AM

EQUAL OPPORTUNITY AGREEMENT

The Law

- Title VII of the Civil Rights Act of 1964 (amended 1972) states that it is unlawful for an employer to discriminate in employment because of race, color, religion, sex, age (40-70 years) or national origin.
- Executive Order No. 11246 on Nondiscrimination under Federal contract prohibits employment discrimination by vendor and sub-vendor doing business with the Federal Government or recipients of Federal funds. This order was later amended by Executive Order No. 11375 to prohibit discrimination on the basis of sex.
- Section 503 of the Rehabilitation Act of 1973 states:

The Vendor will not discriminate against any employee or applicant for employment because of physical or mental handicap.

- Section 2012 of the Vietnam Era Veterans Readjustment Act of 1973 requires Affirmative Action on behalf of disabled veterans and veterans of the Vietnam Era by vendors having Federal contracts.
- Section 206(A) of Executive Order 12086, Consolidation of Contract Compliance Functions for Equal Employment Opportunity, states:

The Secretary of Labor may investigate the employment practices of any Government vendor or sub-vendor to determine whether or not the contractual provisions specified in Section 202 of this order have been violated.

The City of Georgetown practices Equal Opportunity in recruiting, hiring and promoting. It is the Government's intent to affirmatively provide employment opportunities for those individuals who have previously not been allowed to enter into the mainstream of society. In following this commitment to Equal Employment Opportunity and because the Government is the benefactor of the Federal funds, it is both against the Government policy and illegal for the Government to let contracts to companies which knowingly or unknowingly practice discrimination in their employment practices. Violation of the above mentioned ordinances may cause a contract to be canceled and the vendors may be declared ineligible for future consideration.

Please sign this statement in the appropriate space acknowledging that you have read and understand the provisions contained herein. Return this document as part of your application packet.

<u>Bidders</u>	
, ,	ivil Rights Laws listed above that govern employment rights of rans, handicapped and aged persons.
Signature	Name of Firm

Thursday, July 27, 2017 at 10:00 AM

VENDOR'S STATEMENT PURSUANT TO KRS 45A.343

45A.343 Local Public Agency may adopt provisions of KRS 45A.345 to 45A.460 - Effect of Adoption - Contracts are required to mandate revealing of violations of and compliance with specified KRS chapters - Effect of nondisclosure or noncompliance. (KRS 136 -Corporate taxes; KRS 139 - Sales & use taxes; KRS 141 - Income taxes; KRS 337 -Wage and hour; KRS 338 - Occupational safety; KRS 341 - Unemployment; KRS 342 -Workers Comp.) The undersigned, as a duly authorized officer of ______ pursuant to KRS 45A.343 states; To the best of my knowledge, information and belief, ___ has not been finally determined to have violated any of the provisions of KRS Chapters 136, 139, 141, 337, 338, 341, or 342 that apply to it within the five year period preceding this statement. ___ acknowledges that it will be required to be in compliance with those provisions of KRS Chapters 136, 139, 141, 337, 338, 341, and 342 that apply to it for the duration of the Contract to be entered into with the City of Georgetown, Kentucky. acknowledges that if it fails to reveal any final determination of violation of KRS Chapters 136, 139, 141, 337, 338, 341, or 342, or to comply with the applicable provisions of those statutes for the duration of the aforesaid Contract, such shall be grounds for The City of Georgetown, Kentucky to: a) Cancel its contract with _______, and ___ from eligibility for future contracts awarded by The City of Georgetown for a period of two years. This the ______, 2017. By: Title:

Thursday, July 27, 2017 at 10:00 AM

CHECKLIST FOR REQUIREMENTS

Initial "" for all below as indicated or bid may be rejected.
 Bidder received and understands the Invitation to Bid Package and Specifications.
 A Bid Bond or certified check in the amount of five percent (5%) of this bid made payable to the City of Georgetown is attached hereto.
 Proof of Required Insurance Coverages attached.
 BIDDER RESPONSE FORM completed and attached.
 AFFIDAVIT signed and attached.
 EQUAL EMPLOYMENT AGREEMENT signed and attached.
 VENDOR'S STATEMENT PURSUANT TO KRS 45A.343 signed and attached.
 EXCEPTIONS TO SPECIFICATIONS AND/OR COMMENTS completed and attached (IF APPLICABLE).
 Warranty information attached (IF APPLICABLE).
 Verification of service and manufacturing qualifications attached (IF APPLICABLE).